



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/940,801	08/29/2001	Yoshiro Yamaguchi	110491	4697
25944 7. OLIFF & BERR	590 02/02/2007 IDGE, PLC	)7	EXAMINER	
P.O. BOX 19928 ALEXANDRIA, VA 22320			DINH, DUC Q	
			ART UNIT	PAPER NUMBER
			2629	
SHORTENED STATUTORY PERIOD OF RESPONSE		MAIL DATE	DELIVERY MODE	
3 MON	THS	02/02/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)				
	09/940,801	YAMAGUCHI ET AL.				
Office Action Summary	Examiner	Art Unit				
	DUC Q. DINH	2629				
The MAILING DATE of this communication ap	pears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING ID.  - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period.  - Failure to reply within the set or extended period for reply will, by statul Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be tin  will apply and will expire SIX (6) MONTHS from the, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on 26 0	October 2006					
,— · ·	s action is non-final.					
<i>'</i> = <i>'</i> -	, <del> -</del>					
,—	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
closed in accordance with the practice under	Ex parte Quayle, 1000 O.B. 11, 40	0.0.210.				
Disposition of Claims						
4) Claim(s) <u>1-10-12-18</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdra	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-10-12-18</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/	or election requirement.					
Application Papers						
9) The specification is objected to by the Examin	er					
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correct						
11) The oath or declaration is objected to by the E		• • •				
Priority under 35 U.S.C. § 119						
	- minute and - 25 H O O S 440(a)	(4) (6)				
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) All b) Some * c) None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).						
	· · · · · · · · · · · · · · · · · · ·	a				
* See the attached detailed Office action for a list of the certified copies not received.						
		·				
AMa-al						
Attachment(s)	0	(DTO 442)				
1) Motice of References Cited (PTO-892)  4) Interview Summary (PTO-413)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  Paper No(s)/Mail Date						
3) Information Disclosure Statement(s) (PTO/SB/08)  5) Notice of Informal Patent Application						
Paper No(s)/Mail Date 6)  Other:						

Art Unit: 2629

#### **DETAILED ACTION**

### Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on October 25, 2006 has been entered. Claims 1-10 and 12-18 are pending in the Application. Claims 1, 16, 17 and 18 currently amended and being examined.

## Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1-8 and 10-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gordon, II et al. (U.S Patent No. 6,184,856), hereinafter Gordon in view Oh-e et al. (U.S Patent No. 6,392,732) of Hou et al. (U.S Patent No. 6,113,810), hereinafter Hou.

In reference to claim 1, Gordon discloses an image display device comprising:

- a display substrate (2) having first side and a second side;
- a back substrate (4);

Art Unit: 2629

an electrode (20) formed on the lower side of the display substrate (2);

a spacer(24) for forming a gap between the display substrate and the back substrate;

two kinds of particles differing in (10a, 10b) sealed between the display substrate (2) and the back substrate (4) [col. 6, lines 64-66].

a filter (30,32,34) of plural colors (R, G, B) for transmitting light of a specific wavelength, wherein the filter is formed on the second side of the (the filter elements may also be located on the front surface of the front window (2), i.e.: second side of the display substrate);

Gordon does not discloses wherein the filter is divided into plural chromatic regions and plural of achromatic, each of the achromatic regions being disposed between adjacent chromatic regions. Oh-e discloses a filter is divided into plural chromatic regions and plural of achromatic, each of the achromatic regions being disposed between adjacent chromatic regions for a display in Fig. 8.

It would have been obvious for one of ordinary skill in the art at the time of the invention to modify the filter of Gordon II to have the filter is divided into plural chromatic regions and plural of achromatic, each of the achromatic regions being disposed between adjacent chromatic regions as taught by Oh-e because it would provide a display which is capable of providing a wide viewing angle and a high image quality without generating the smear phenomenon (col. 2, lines 27-29 of Oh-e)

The combination of Gordon and Oh-e does not disclose the particles are differing in charging polarity. Hou discloses in Fig. 1 the particles of a display are differing in charging polarity.

Art Unit: 2629

It would have been obvious for one of ordinary skill in the art at the time of the invention to replace the pigments with particles with different charging polarity in the combination of Gordon and Oh-e as taught by Hou because it would provide a display device image display device with highly contrast display images (col. 2, lines 15-20 of Hou).

In reference to claim 2, Hou discloses the two particles are white and black as claimed.

In reference to claims 3-4, Hou discloses the particles white electrophoretic particles 22 and black electrophoretic particles 24 may be formed from cross linked polymer particles using a two stage dispersion polymerization technique with and without staining with a metal oxide, respectively [col.3, lines 45-55].

In reference to claim 5, Gordon discloses in Fig. 1 the substrate and the filter are integrated.

In reference to claim 6, Gordon discloses the color filter medium can, for example, be a light-transmissive colored filter element, a colored light-reflecting panel, or the pigment suspension fluid itself can be colored and serve as the color filter medium (col.3, lines 35-40).

In reference to claim 7, Gordon discloses the filter is divided into 3 regions for red, green, and blue colors (Fig. 1).

In reference to claim 8, Gordon discloses the color filer is arranged in stripes (Fig. 1)

In reference in claim 10, Gordon discloses the color filter medium selects the color reflected by each cell. The color filter medium can, for example, be a light-transmissive colored filter element disposed across the horizontal area of the cell, either above the suspension or below the suspension on top of the light-reflecting panel. An appropriately colored pigment

Art Unit: 2629

suspension fluid, a colored light-reflecting panel, a color diffuser, or a painted surface can also serve as the color filter medium (col. 8, lines 8-18).

In reference to claim 12, Gordon discloses the transparent achromatic wall 24 as claimed.

In reference to claim 13, Gordon discloses electrodes 8 and 20 as claimed.

4. Claims 14-18 rejected under 35 U.S.C. 103(a) as being unpatentable over Gordon and Oh-e and Hou as applied to claims 1-8 and 10-13 and further in view of Comiskey (U. S. Patent No. 6,376,828).

In reference to claims 14 and 15, the combination of Gordon, Oh-e and Hou does not disclose the irradiating means for the display. Comiskey discloses a front light for an electrophoretic display for emitting white light to the inside of the image display medium from the display substrate side of the image display medium (see Fig. 1).

It would have been obvious for one of ordinary skill in the art at the time of the invention was made to provide the light source to illuminate the display in the combination of Gordon, Ohe and Hou as taught by Comiskey for lighting the display when ambient light decreases (col. 8, lines 15-20 of Comisky).

In reference to claims 16-18, refer to the rejection as applied to claims 1 and 14-15. In addition, Comiskey discloses the light transmissive element 8 may comprise additional elements to enhance the versatility of the illuminated nonemissive electronic display 1. In one embodiment of the invention, shown in FIG. 1, a light polarizing film 16 (corresponding to the

Art Unit: 2629

spectral means) is provided adjacent first surface 8a to increase the uniformity of light passing through the second face 8b and reaching the viewer 20. In another embodiment of the invention, a red/green/blue absorptive filter (not shown) is provided adjacent the first face 8a or second face 8b of the light transmissive element 8 to alter the wavelength of light passing through the first face 8a or second face 8b thereby creating a colored display (col. 6, line 62 – col. 7, line 6).

5. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Gordon, Oh-e and Hou as applied to claims 1-8 above and further in view of Shirochi (U. S. Patent No. 5,872,654)

In reference to claim 9, the combination Gordon, Oh-e and Hou do not discloses the filter is on of the matrix mosaic type. Sherochi discloses color filters corresponding to three primary colors are placed relative to each pixel and the same color pixels are arranged having the mosaic type as claimed.

It would have been obvious for one of ordinary skill in the art at the time of the invention was made to learn the teaching of Shirochi, i.e., color filters corresponding to three primary colors are placed relative to each pixel and the same color pixels are arranged having the mosaic pattern for providing a display device in which the diffusion for more than three pixels can be easily obtained (col. 2, lines 34-37 of Shirochi).

## Response to Arguments

6. Applicant's arguments with respect to claims 1-10 and 12-18 have been considered but are most in view of the new ground(s) of rejection.

Art Unit: 2629

#### Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **DUC Q. DINH** whose telephone number is (571) 272-7686 The examiner can normally be reached on Mon-Fri from 8:00.AM-4:00.PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, RICHARD HJERPE can be reached on (571)272-7691.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

Or faxed to:

(571) 273-8300 (for Technology Center 2600 only)

Hand-delivery response should be brought to: Crystal Park II, 2121 Crystal Drive, Arlington, Va Sixth Floor (Receptionist)

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center 2600 Customer Service Office whose telephone number is (703) 305-4700.

/DUC Q DINH/ Examiner

Art Unit 2629

Judenle